

FTR LINE

Friggitrice elettrica

Electrical fryer



Caratteristiche

Corpo in acciaio inox con maniglie e coperchio, 1 o 2 vasche estraibili in acciaio inox per una migliore igiene, testata estraibile, micro interruttore di sicurezza termostato di sicurezza e termostato di regolazione temperatura, interruttore on/off.

Dotazioni Standard

Corpo in acciaio inox con maniglie e coperchio
Micro-interruttore di sicurezza
Termostato di sicurezza
Interruttore ON-OFF
Termostato per regolazione della temperatura

Features

Stainless steel body with handles and lid, stainless-steel 1 or 2 removable bowls for easy cleaning, removable head, safety micro switch, safety thermostat and thermostat for temperature adjustment, on/off switch.

Standard equipment

Stainless-steel construction with handles and lid
Safety micro-switch
Safety thermostat
ON-OFF switch
Thermostat for temperature adjustment



FTR 4



FTR 44



FTR 4S

| | FTR 4 | FTR 44 | FTR 4S |
|--|----------------------|----------------------|----------------------|
| VOLUME DELLA VASCA BOWL VOLUME | Lt. 7 | Lt. 7+7 | Lt. 7 |
| CAPACITÀ LAVORATIVA WORKING CAPACITY | Lt. 4 | Lt. 4 + 4 | Lt. 3,5 |
| VOLT | 230 V / 50 monofase | 230 V / 50 monofase | 230 V / 50 monofase |
| POTENZA - POWER | kW 2 | KW 4 | KW 2,5 |
| DIMENSIONI - DIMENSIONS | mm 190 x 430 x 290 h | mm 380 x 430 x 290 h | mm 260 x 390 x 190 h |
| DIMENSIONI CESTELLO - BASKET CAPACITY | 140 x 250 x 100h | 2 x 140 x 250 x 100h | 220 x 250 x 50h |
| COD. | 7080111FTR4 | 7080111FTR44 | 7080111FTR4S |



FTR 8



FTR 88



FTR 10

| | FTR 8 | FTR 88 | FTR 10 |
|--|----------------------|----------------------|---------------------|
| VOLUME DELLA VASCA BOWL VOLUME | Lt. 11 | Lt. 11 + 11 | Lt. 15 |
| CAPACITÀ LAVORATIVA WORKING CAPACITY | Lt. 6 | Lt. 6 + 6 | Lt. 10 |
| VOLT | 230 V / 50 monofase | 230 V / 50 monofase | 400 V trifase |
| POTENZA - POWER | KW 3,25 | KW 6 | KW 6 |
| DIMENSIONI - DIMENSIONS | mm 280 x 430 x 210 h | mm 560 x 430 x 210 h | mm 370 x 430 x 210h |
| DIMENSIONI CESTELLO - BASKET CAPACITY | 220 x 250 x 100h | 2X 220 x 250 x 100h | 320 x 250 x 120h |
| COD. | 7080111FTR8 | 7080111FTR88 | 7080111FTR10 |



FTR 8R



FTR 88R



FTR 18R

| | FTR 8R | FTR 88R | FTR 18R |
|--|----------------------|----------------------|---------------------|
| VOLUME DELLA VASCA BOWL VOLUME | Lt. 13 | Lt. 13 + 13 | Lt. 24 |
| CAPACITÀ LAVORATIVA WORKING CAPACITY | Lt. 8 | Lt. 8 + 8 | Lt. 18 |
| VOLT | 230 V / 50 monofase | 230 V / 50 monofase | 400 V trifase |
| POTENZA - POWER | KW 3,25 | KW 3,25 + 3,25 | KW 9 |
| DIMENSIONI - DIMENSIONS | mm 280 x 430 x 250 h | mm 560 x 430 x 250 h | mm 600 x 620 x 500h |
| DIMENSIONI CESTELLO - BASKET CAPACITY | 220 x 250 x 100h | 2X 220 x 250 x 100h | 460 x 320 x 120h |
| COD. | 7080111FTR8R | 7080111FTR88R | 7080111FTR18 |